Marked-up Paragraph:

"Heterocycle" means a saturated cyclic radical of 3 to 8 ring atoms in which one or two ring atoms are heteroatoms selected from N, O, or S(O)_n (where n is an integer from 0 to 2), the remaining ring atoms being C, where one or two C atoms may optionally be replaced by a carbonyl group. The heterocyclyl ring may be optionally substituted independently with one, two, or three substituents selected from optionally substituted lower alkyl (substituted with 1 or 2 substituents independently selected from carboxy or ester), haloalkyl, cyanoalkyl, halo, nitro, cyano, hydroxy, alkoxy, amino, monoalkylamino, dialkylamino, aralkyl, heteroaralkyl, -COR (where R is alkyl) or -COOR where R is (hydrogen or alkyl). More specifically the term heterocyclyl includes, but is not limited to, tetrahydropyranyl, 2,2dimethyl-1,3-dioxolane, piperidino, N-methylpiperidin-3-yl, piperazino, N-methylpyrrolidin-3-yl, 3-pyrrolidino, morpholino, thiomorpholino, thiomorpholino-1-oxide, thiomorpholino1,1-dioxide, 4-ethyloxycarbonylpiperazino, 3-oxopiperazino, 2imidazolidone, 2-pyrrolidinone, 2-oxohomopiperazino, tetrahydropyrimidin-2-one, and the derivatives thereof. Preferably, the heterocycle group is optionally substituted with one or two substituents independently selected from halo, unsubstituted lower alkyl, lower alkyl substituted with carboxy, ester, hydroxy, mono or dialkylamino.

"Heterocycle" means a saturated cyclic radical of 3 to 8 ring atoms in which one or two ring atoms are heteroatoms selected from N, O, or S(O)_n (where n is an integer from 0 to 2), the remaining ring atoms being C, where one or two C atoms may optionally be replaced by a carbonyl group. The heterocyclyl ring may be optionally substituted independently with one, two, or three substituents selected from optionally substituted lower alkyl (substituted with 1 or 2 substituents independently selected from carboxy or ester), haloalkyl, cyanoalkyl, halo, nitro, cyano, hydroxy, alkoxy, amino, monoalkylamino, dialkylamino, aralkyl, heteroaralkyl, COR (where R is alkyl) or *COOR where R is (hydrogen or alkyl). More specifically the term heterocyclyl includes, but is not limited to, tetrahydropyranyl, 2.2dimethyl-1,3-dioxolane, piperidino, N-methylpiperidin-3-yl, piperazino, N-methylpyrrolidin-3-yl, 3-pyrrolidino, morpholino, thiomorpholino, thiomorpholino-1-oxide, thiomorpholino1,1 dioxide, 4 ethyloxycarbonylpiperazino, 3 oxopiperazino, 2 imidazolidone, 2-pyrrolidinone, 2 oxohomopiperazino, tetrahydropyrimidin-2-one, and the derivatives thereof. Preferably, the heterocycle group is optionally substituted with one or two substituents independently selected from halo, unsubstituted lower alkyl, lower alkyl substituted with carboxy, ester, hydroxy, mono or dialkylamino.

